4

	Application No.	Applicant(s)	
	10/671,506	LIAO, DENNI	
Notice of Allowability	Examiner	Art Unit	
C	Christopher Verdier	3745	
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.			
1. This communication is responsive to Applicant's Amendment dated 10-14-04.			
2. The allowed claim(s) is/are <u>1-20</u> .			
3. The drawings filed on 9-29-03, 10-14-04 are accepted by the Examiner.			
 4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). 			
* Certified copies not received:			
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.			
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.			
 6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached			
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.			
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	5 Notice of Infe	rmal Patent Application (PTO-152)	
 Notice of Neterences Cited (P10-032) Dotice of Draftperson's Patent Drawing Review (PT0-948) 	6. Interview Su	mmary (PTO-413),	
Information Disclosure Statements (PTO-1449 or PTO/SB/C Paper No./Mail Date	Paper No./N	lail Date mendment/Comment	
Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. ⊠ Examiner's S 9. □ Other	tatement of Reasons for Allowance	

Application/Control Number: 10/671,506

Art Unit: 3745

EXAMINER'S AMENDMENT.

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Joseph McKinney Muncy, Attorney of Record, on November 1, 2004.

The application has been amended as follows:

In the Claims:

In claim 1, last line, "any axis" has been changed to -- all axes --.

In claim 12, line 7, "minimally" has been changed to -- maximally ---

In claim 12, line 7, "maximally" has been deleted.

In claim 13, line 1, "fun" has been changed to -- fan --.

In claim 13, line 3, "the" has been changed to -- a fan --.

In claim 18, line 1, "fun" has been changed to -- fan --.

In claim 18, line 3, "the" has been changed to -- a fan --.

Application/Control Number: 10/671,506

Art Unit: 3745

The above changes to claims 12-13 and 18 have been made to correct indefinite claim language. The above change to claim 1 has been made in order to place the application in condition for allowance for the reasons set forth below.

Reasons for Allowance

The following is an examiner's statement of reasons for allowance: Claim 1 has been amended to recite that the inlet which is located in a plane is non-symmetrical with respect to <u>all</u> axes lying in the plane. Hashimoto 2004/0123978 and Japanese Patent 55-69,799 are the closest art of record and disclose fans with non-symmetric inlets, but do not disclose that the inlet which is located in a plane is non-symmetrical with respect to <u>all axes</u> lying in the plane. None of the prior art of record discloses or suggests this feature.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Christopher Verdier whose telephone number is (703)-308-2638. The examiner can normally be reached on Monday-Friday from 10:00-6:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Edward K. Look can be reached on (703) 308-1044. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Application/Control Number: 10/671,506

Art Unit: 3745

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

C.V.

November 1, 2004

Christopher Verdier Primary Examiner Art Unit 3745 Page 4